HP Z8 G4 Workstation



Top-of-the-line power to fuel those who reimagine our world. When you need a workstation with the capability to run complex simulations, handle advanced Machine Learning algorithms and process huge amounts of data, the HP Z8 doesn't disappoint.

HP recommends Windows 10 Pro.



Extreme power

Run 3D simulations and edit 8K video in real time with up to 56 processing cores and up to 3 TB high-speed memory. Certified for serious software, such as ANSYS or After Effects, you can ideate and iterate more to deliver better work in less time.

Industry-leading design and acoustics

From the inside out, the Z8 is an engineering wonder. The modern exterior provides tool-free access to a clean, modular interior. Strategically placed vents and ducts throughout the system streamline airflow for ultra-quiet performance.

HP's most secure workstations

Advanced security features come standard on every Z8. Rest assured your device, identity and data are safe with security software like HP Client Security Suite Gen3³ and HP Sure Start Gen3⁸, the industry's first self-healing BIOS with intrusion detection.

Featuring

- Support your unique user needs with a choice of Windows 10 Pro 64 or Linux® operating systems.
- Achieve the performance you need with the ability to support two next generation Intel[®] Xeon[®] processors for up to 56 total processor cores in one system.⁴
- Give ML developers high-performance GPU-accelerated algorithm development tools with support for the NVIDIA Deep Learning SDK and many widely used deep learning frameworks.
- Easily handle massive data sets with 24 memory slots supporting up to 3 TB of high-speed memory.⁷
- Get ultra-flexible configuration with 7 high-performance PCIe Gen3 slots and get additional expandability supporting up to 4 PCIe storage devices with optional slots.⁶
- Providing a choice of 1125W, 1450W and 1700W 90% efficient power supplies, the Z8 fires up the maximum levels of processing, memory, graphics, storage and I/O configurability.
- Designed with two ports of lightning-quick 10 GbE network connection at a lower cost than standard PCIe add-in cards and with Thunderbolt™ 3 technology for fast data transfers.^{5,7}
- The tool-less chassis lets you quickly and easily access the interior for upgrades and maintenance.
- The Z8 workstation's modern, sophisticated look features built-in handles for easy relocation.
- Innovative acoustic design allows full range configuartions to run cool and quiet for maximized productivity.

HP Z8 G4 Workstation Specifications Table







Operating System Windows 10 Pro for Workstations 64 - HP recommends Windows 10 Pro 1,21,22

HP Installer Kit for Linux[®] ²³ Red Hat[®] Enterprise Linux[®] ²³

(HP Linux® Installer Kit includes drivers for 64-bit versions of Red Hat® Enterprise Linux® 7.4, SUSE Linux® Enterprise Desktop 12 and Ubuntu 16.04. Red Hat® Enterprise

Intel® Xeon® Platinum 8160 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 33 MB cache, 24 cores)

Linux® (1-year paper license only) is available as a second operating system.)

Processor Family

Intel® Xeon® Scalable processor

Processors^{2,3}

Intel® Xeon® Platinum 8160M (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 33 MB cache, 24 cores) Intel® Xeon® Platinum 8260 (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 35.75 MB cache, 24 cores) Intel® Xeon® Platinum 8260M (2.4 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 35.75 MB cache, 24 cores) Intel® Xeon® Platinum 8280 (2.7 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores) Intel® Xeon® Gold 5115 (2.4 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 13.75 MB cache, 10 cores) Intel® Xeon® Gold 5118 (2.3 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 12 cores) Intel® Xeon® Gold 5120 (2.2 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 19.25 MB cache, 14 cores) Intel® Xeon® Gold 5122 (3.6 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 4 cores) Intel® Xeon® Gold 5215 (2.5 GHz base frequency, up to 3.4 GHz with Intel® Turbo Boost Technology, 13.75 MB cache, 10 cores) Intel® Xeon® Gold 5215M (2.5 GHz base frequency, up to 3.4 GHz with Intel® Turbo Boost Technology, 13.75 MB cache, 10 cores) Intel® Xeon® Gold 5218 (2.3 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 22 MB cache, 16 cores) Intel® Xeon® Gold 5220 (2.2 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores) Intel® Xeon® Gold 5222 (3.8 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 4 cores) Intel® Xeon® Gold 6126 (2.6 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 19.25 MB cache, 14 cores) Intel® Xeon® Gold 6128 (3.4 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 19.25 MB cache, 6 cores) Intel® Xeon® Gold 6130 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 22 MB cache, 16 cores) Intel® Xeon® Gold 6132 (2.6 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 19.25 MB cache, 14 cores) Intel® Xeon® Gold 6134 (3.2 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 8 cores) Intel® Xeon® Gold 6134M (3.2 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 8 cores) Intel® Xeon® Gold 6136 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores) Intel® Xeon® Gold 6138 (2.0 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 27.5 MB cache, 20 cores) Intel® Xeon® Gold 6140 (2.3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores) Intel® Xeon® Gold 6140M (2.3GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores) Intel® Xeon® Gold 6142 (2.6 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 22 MB cache, 16 cores) Intel® Xeon® Gold 6142M (2.6 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 22 MB cache, 16 cores) Intel® Xeon® Gold 6144 (3.5 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 8 cores) Intel® Xeon® Gold 6144M (3.5 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 8 cores) Intel® Xeon® Gold 6146 (3.2 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores) Intel® Xeon® Gold 6146M (3.2 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 12 cores) Intel® Xeon® Gold 6148 (2.4 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 27.5 MB cache, 20 cores) Intel® Xeon® Gold 6152 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 30.25 MB cache, 22 cores) Intel® Xeon® Gold 6154 (3 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores) Intel® Xeon® Gold 6230 (2.1 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 27.5 MB cache, 20 cores) Intel® Xeon® Gold 6240 (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores) Intel® Xeon® Gold 6240Y (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores) Intel® Xeon® Gold 6242 (2.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 22 MB cache, 16 cores) Intel® Xeon® Gold 6244 (3.6 GHz base frequency, up to 4.4 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 8 cores) Intel® Xeon® Gold 6248 (2.5 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 27.5 MB cache, 20 cores) Intel® Xeon® Gold 6252 (2.1 GHz base frequency, up to 3.7 GHz with Intel® Turbo Boost Technology, 35.75 MB cache, 24 cores) Intel® Xeon® Gold 6254 (3.1 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 24.75 MB cache, 18 cores) Intel® Xeon® Silver 4108 (1.8 GHz base frequency, up to 3 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores) Intel® Xeon® Silver 4110 (2.1 GHz base frequency, up to 3.0 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores) Intel® Xeon® Silver 4112 (2.6 GHz base frequency, up to 3 GHz with Intel® Turbo Boost Technology, 8.25 MB cache, 4 cores) Intel® Xeon® Silver 4114 (2.2 GHz base frequency, up to 3 GHz with Intel® Turbo Boost Technology, 13.75 MB cache, 10 cores) Intel® Xeon® Silver 4116 (2.1 GHz base frequency, up to 3 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 12 cores) Intel® Xeon® Silver 4208 (2.1 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores) Intel® Xeon® Silver 4210 (2.2 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 13.75 MB cache, 10 cores) Intel® Xeon® Silver 4214 (2.2 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 12 cores) Intel® Xeon® Silver 4214Y (2.2 GHz base frequency, up to 3.2 GHz with Intel® Turbo Boost Technology, 16.5 MB cache, 12 cores) Intel® Xeon® Platinum 8180 (2.5 GHz base frequency, up to 3.8 GHz with Intel® Turbo Boost Technology, 38.5 MB cache, 28 cores) Intel® Xeon® Silver 4215 (2.5 GHz base frequency, up to 3.5 GHz with Intel® Turbo Boost Technology, 11 MB cache, 8 cores) Intel® Xeon® Bronze 3104 (1.7 GHz, 8.25 MB cache, 6 cores) Intel® Xeon® Bronze 3106 (1.7 GHz, 11 MB cache, 8 cores)

 Chipset
 Intel® C622

 Maximum Memory
 1.5 TB DDR4-2666 ECC SDRAM; 3 TB DDR4-2666 ECC SDRAM 20 (Transfer rates up to 2933MT/s.)

 Memory Slots
 24 DIMM

Intel® Xeon® Bronze 3204 (1.9 GHz base frequency, 8.25 MB cache, 6 cores)

Drive Controllers	Integrated SATA 6.0 Gb/s
Internal Storage	300 GB SAS (15000 rpm) ⁴
	500 GB up to 2 TB SATA (7200 rpm) ⁴
	500 GB SATA SED (7200 rpm) ⁴
	1 TB up to 6 TB 7200 rpm SATA Enterprise ⁴
	256 GB up to 2 TB SATA SSD ⁴
	256 GB up to 512 GB SATA SED Opal 2 SSD ⁴
	240 GB up to 480 GB SATA Enterprise SSD ⁴
	256 GB up to 1 TB HP Z Turbo Drive PCle® NVMe™ SSD ⁴
	256 GB up to 1 TB HP Z Turbo Drive PCle® NVMe™ SSD M.2 ⁴
	256 GB up to 512 GB HP Z Turbo Drive PCle® NVMe™ SED SSD M.2 ⁴
	256 GB up to 8 TB HP Z Turbo Drive Quad Pro PCle® SSD ⁴
	256 GB up to 4 TB HP Z Turbo Drive Dual Pro PCle® SSD ⁴
	280 GB up to 480 GB Intel® Optane™ SSD 900P ⁴
Optical Storage	HP Slim DVD-ROM; HP Slim Blu-ray Writer; HP Slim DVD-Writer ^{5,6}
Additional Storage	HP SD 4 Media Card Reader (optional)
	Entry 3D: NVIDIA® Quadro® P400 (2 GB GDDR5 dedicated); NVIDIA® Quadro® P600 (2 GB GDDR5 dedicated); AMD FirePro™ W2100 Graphics (2 GE
Available Graphics	DDR3 dedicated)
	Mid-range 3D: NVIDIA® Quadro® P1000 (4 GB GDDR5 dedicated); NVIDIA® Quadro® P2000 (5 GB GDDR5 dedicated); AMD Radeon™ Pro WX 3100
	Graphics (4 GB GDDR5 dedicated); AMD Radeon™ Pro WX 4100 Graphics (4 GB GDDR5 dedicated) 17
	High-end 3D: NVIDIA® Quadro® P4000 (8 GB GDDR5 dedicated); AMD Radeon™ Pro WX 7100 Graphics (8 GB GDDR5 dedicated)
	Ultra High-end 3D: AMD Radeon™ Pro WX 9100 Graphics (16 GB HBM2 dedicated); NVIDIA® Quadro® GP100 (16 GB HBM2 dedicated); NVIDIA®
	Quadro® P5000 (16 GB GDDR5X dedicated); NVIDIA® Quadro® P6000 (24 GB GDDR5X dedicated); NVIDIA® Quadro® GV100 (32 GB GDDR5
	dedicated) ²⁰
Audio	Realtek HD ALC221
Networking	LAN Integrated Intel® 1219-LM PCIe® GbE; Integrated Intel® X722 PCIe® GbE; Intel® 1350-T2 dual-port GbE NIC; Intel® 1350-T4 dual-port GbE NIC;
	Intel® I210-T1 PCIe® GbE; Intel® X550-T2 dual-port GbE NIC; Intel® X710-DA2 dual-port GbE NIC; Intel® 10 GbE SFP+ SR transceiver; HP dual-port
	10GBase-T NIC ¹⁹
	WLAN Intel® Dual Band Wireless-AC 8265 802.11a/b/g/n/ac (2x2) Wi-Fi® and Bluetooth® 4.2 Combo, non-vPro™; Intel® Dual Band Wireless-AC
	9260 802.11ac (2x2) and Bluetooth® 5 M.2, non-vPro™ ⁹
Expansion Slots	2 PCle x4; 3 PCle x8; 4 PCle x16
	(1 PCIe x8 has rear bulkhead access and 2 PCIe x8 are internal access only. Slot 1: Transforms to PCIe x8 when 2nd CPU is installed. Slots 3 and 6: are available only wher
	2nd processor is installed. PCIe x16 - Available only when 2nd processor is installed.)
Ports and Connectors	Front: 1 headset connector; 4 USB 3.1 (1 charqing)
	Rear: 6 USB 3.1 Gen 1; 2 RJ-45 (1 GbE); 1 audio-in; 1 audio-out; 1 PS/2 mouse port; 1 PS/2 keyboard port; 1 serial
	(Premium front includes: 1 headset, 2 USB 3.1 Gen1 (1 charging), 2 USB 3.1 Gen 2 Type-C™.)
Drive Bays (Internal)	Four 2.5" or 3.5" ¹⁶
Drive Bays (External)	Two 5.25"
Input Device	HP Wireless Business Slim Keyboard and Mouse Combo; HP USB Business Slim Keyboard; USB Premium wired keyboard; USB Smart Card (CCID)
	keyboard ¹⁰
	3Dconnexion CADMouse; HP USB Optical Mouse; HP PS/2 Mouse; HP USB Hardened Mouse ¹⁰
Software	HP Remote Graphics Software (RGS); HP Performance Advisor
Security	HP Sure Start Gen3; Secure authentication; Kensington lock slot; Full volume encryption; HP Keyed Cable Lock Kit; TPM 2.0 certified; HP Secure
	Erase 14,15,18
Power	1700 W internal power supply, up to 90% efficiency, active PFC; 1450 W internal power supply, up to 90% efficiency, active PFC; 1125 W internal
	power supply, up to 90% efficiency, active PFC
Dimensions (W x D x H)	8.5 x 21.7 x 17.5 in
	21.59 x 55.12 x 44.45 cm
Weight	Starting at 49.4 lb
	Starting at 22.4 kg
Energy Efficiency Compliance	ENERGY STAR® certified and EPEAT® Gold registered configurations available ¹¹
Environmental Certification	Low halogen12
Compatible Displays	All HP Z Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays.
Warranty	Protected by HP Services, including a 3 years parts, 3 years labor, and 3 years onsite service (3-3-3) standard limited warranty. Certain
	restrictions. 24/7 operation will not void the HP warranty.

HP Z8 G4 Workstation

Recommended accessories and services (not included)

NVIDIA Quadro P6000 (24GB) Graphics Card



Develop revolutionary products and tell spectacularly vivid visual stories with the extreme power and performance of the NVIDIA® Quadro® P6000, powered by NVIDIA Pascal™ GPU technology. Product number: Z0B12AA

AMD Radeon Pro WX 7100 8GB Graphics Card



Meet your demanding Design & Manufacturing and Media & Entertainment VR and immersive computing workflows head on with the AMD Radeon™ Pro WX 7100, a single slot form factor card based on AMD's new Polaris architecture.

Product number: Z0B14AA

HP Z Turbo Drive Quad Pro 2x512GB PCle SSD



Power through your largest data challenges and get amazing performance with the HP Z Turbo Drive Quad Pro, which integrates up to four super-fast HP Z Turbo Drive G2 modules¹ into one PCIe x16 card. Product number: N2M99AA

HP DreamColor Z31x Studio Display



Designed for the world's elite color professionals, the award-winning HP DreamColor Technology brings the industry's boldest visions to life. Captivate with Cinema 4K resolution, an expansive color gamut for remarkably vivid colors, integrated colorimeter and custom-tailored management tools.

Product number: Z4Y82A4

HP Z Premium Front I/O 2xUSB-A 2xUSB-C



Use the HP Z Premium Front I/O 2xUSB-A 2xUSB-C to quickly and easily upgrade your HP Z4, Z6 or Z8 G4 Workstation standard front I/O ports from 4x USB 3.1 Gen 1 Type A ports to 2x higher-bandwidth USB 3.1 Gen 2 Type-C™ ports for modern peripheral compatibility and 2x USB 3.1 Gen 1 Type A ports.

Product number: 1XM32AA

HP 5 year Next Business Day Onsite HW Support w/Defective Media Retention for Workstations



When hardware issues come up, the sooner you can get running again, the better. Have expertise at the ready with HP Hardware Next Business Day¹ Onsite Service with Defective Media Retention, and vastly improve your product uptime. With high-quality remote assistance or convenient onsite support available the next business day, help is there when you need it—so you can get back to work.

Product number: UE344E

Messaging Footnotes

- 1 Not all features are available in all editions or versions of Windows, Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com
- ² Based on desktop workstations as of June 14, 2017 and power based on processor, graphics, memory, and power supply.
- 3 HP Client Security Suite Gen3 requires Windows and Intel® or AMD 7th Gen processors
- 4 Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- 5 HP dual-port 10GBase-T NIC is sold separately or as an optional feature.
- Sold separately or as an optional feature.
 Available in the first half of 2018.
- 8 HP Sure Start Gen3 is available on HP EliteBook, HP ZBook, and HP Z Workstation products equipped with Intel® 7th generation processors.
- Screen image courtesy of Renault Sport Racing

Screen image courtesy of Chris McLennan

Technical Specifications Footnotes

- ¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.
- ² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- ³ Some vPro functionality of this technology, such as Intel[®] Active management technology and Intel Virtualization technology, requires additional 3rd party software in order to run. Availability of future "virtual appliances" applications for Intel vPro technology is dependent on 3rd party software providers. Microsoft Windows required.

 ⁴ For hard drives and solid state drives, 1 GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB of system disk is reserved for system recovery software.
- 5 Duplication of copyrighted material is strictly prohibited. Actual speeds may vary. Double Layer media compatibility will widely vary with some home DVD players and DVD-ROM drives. Note that DVD-RAM cannot read or write to 2.6GB Single Sided/5.2 Double Sided-Version 1.0 Media. No support for DVD RAM.

 6 With Blu-Ray, certain disc, digital connection, compatibility and/or performance issues may arise, and do not constitute defects in the product. Flawless playback on all systems is not quaranteed. In order for some Blu-ray
- titles to play, they may require a DVI or HDMI digital connection and your display may require HDCP support. HD-DVD movies cannot be played on this Desktop PC.
- 8 For systems installed with Microsoft Windows 7 (Ultimate, Enterprise or Professional), the maximum accessible system memory is 192 GB. For systems installed with Microsoft Windows 8.x (Enterprise or Pro), the maximum accessible system memory is 512 GB.
- Wireless access point and Internet access required. Availability of publis wireless access points limited. The specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ac WLAN devices. 10 Optional or add-on feature.
- 11 EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. Search keyword generator on HP's 3rd party option store for solar generator accessories at http://www.hp.com/go/options www.hp.com/go/options
- 12 External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.
- 13 HP Remote Graphics Software requires a Windows, Linux®, or Mac®OS X 10.10 and newer operating system and network access.

 14 HP Sure Start Gen3 is available on HP EliteBook, HP ZBook, and HP Z Workstation products equipped with Intel® 7th generation processors.
- 15 HP Secure Erase: For the methods outlined in the National Institute of Standards and Technology Special Publication 800-88. Supported on Elite platforms with BIOS version F.03 or higher.
- ¹⁶ Each bay is configurable to 2.5" or 3.5".
- Tedel Day's Configuration of 25 to 3.5 to 3.5 to 1.5 to 1.5
- ¹⁹ HP 10GBASE-T Dual NIC Z6/8 G4 is sold separately or as an optional feature
- ²⁰ Requires 2 CPUs and 2933MHz memory. Available in the first half of 2019.
- 21 Windows 10 Pro is preinstalled. Windows 7 media is only available upon request from HP Customer Support. You may only use one version of the Windows software at a time. Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of your data.
- 22 NOTE: In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel and AMD 7th generation and forward processors or provide any Windows 8 or Windows 7 drivers on http://www.support.hp.com.
- ²³ Note: For detailed Linux® OS/hardware support information, see: http://www.hp.com/support/linux_hardware_matrix

Sign up for updates hp.com/go/getupdated

Learn more at hp.com

Copyright © 2018 HP Development Company, L.P. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Xeon, Thunderbolt and Intel vPro are trademarks of Intel Corporation or isubsidiaries in the U.S. and/or other countries. Bluetooth is a trademark of its proprietor and used by HP Inc. under license. USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. NVIDIA. The NVIDIA logo and Quadro are trademarks and/ or registered trademarks of NVIDIA Corporation in the U.S. and other countries. Red Hat(R) is a registered trademark of Red Hat, Inc. in the United States and other countries. Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries. All other trademarks are the property of their respective owners. 4AA7-0863ENUC, 04/03/2019

